




PRODUCT CATALOG

Roadway • Airports • Bridges • Telecom–Microtrenching

FastPatch[®]

FastPatchsystems.com

Applications

Roadway

Full/Partial Depth

DPR.....	4
All-in-One	4
5000	5
5400	5

Crack Filling

Crack Filler	6
CJF-CC	6

Asphalt Surfaces

Alligator Crack Repair (ACR)	7
ACR Meter Grade	7
DPR.....	8

Sealants & Reflectors

EJC+ (25, 50, 100)	9
RBA-CC.....	11

Airports

Full/Partial Depth

DPR-FAA	12
---------------	----

Crack Filling

ACR Meter Grade	13
-----------------------	----

Sealants 14

EJC+ (25, 50, 100) 14

Asphalt Surfaces 16

Alligator Crack Repair (ACR) 16

ACR Meter Grade 16

DPR.....17

Bridges

Sealing

EJC+ (25, 50, 100) 18

Header & Bearing Pad

5000 20

5400 20

Telecom

Microtrenching

TrenchFill 8600 21

8400 21

TrenchSeal Splatter Grade.....22

DPR.....22

Primers

Primer LV.....23

Primer LPS 23

Primer LPR 24

DPR

FastPatch® DPR is an easy-to-apply durable pavement reinstatement material. FastPatch® DPR is supplied in bulk containers for rapid deployment or kits with everything included for ease of use. FastPatch® DPR is a polymer binder based on a blend of recycled and renewable materials designed to be installed in clean, dry and sound areas. FastPatch® DPR has good adhesion to concrete and asphalt and can be used to permanently repair a variety of pavement damage.

Product	PART #	UOM	Pallet QTY
DPR Combo Kit (0.2CF /6L)	1026213-KIT	Kit	48 kits/36x48" pallet (91x122 cm)
DPR Combo Kit (0.4CF /11L)	1026212-KIT	Kit	36 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical
Data Sheet
DPR](#)



[Sales Sheet
DPR-Kit](#)



[Declaration
of Performance](#)




[DPR](#)

All-in-One

FastPatch® All-in-One is a tough and durable concrete repair system with integrated micro-aggregate. FastPatch® All-in-One is specifically designed to meet the highest performance requirements while maintaining excellent flexibility and resilience. **FastPatch® All-in-One** can be used in a wide variety of applications with a high production meter; suitable for maintenance, emergency remediation, and new capital construction work.

Product	RESIN #	ISO #	UOM	Pallet QTY
All-in-One (250 gal/946L)	1026295-90	1026821-90	Gal	1 tote/48x48" pallet (122x122 cm)

Product Packaging



Tote

Information



[Technical
Data Sheet
All-in-One](#)

Contact sales person for estimated shipping weights

[Return to Table of Contents>>>](#)

5000 CE

FastPatch® 5000 is a flexible and tough concrete repair composite with excellent physical properties. FastPatch® 5000 is a 100% solids, 2-component urethane designed to perform in installations where 5,000 psi concrete is specified. FastPatch® 5000 is tough, resilient, impervious to freeze-thaw, and has excellent adhesion. Areas repaired with FastPatch® 5000 can be re-opened to traffic in one hour or less.

Product	RESIN #	ISO #	UOM	Pallet QTY
5000 Gray 3 minutes (250 gal/946L)	1026219-90	1026245-90	Gal	1 tote/48x48" pallet (122x122 cm)
5000 Gray 5 minutes (50 gal/190L)	1026248-50	1026245-50	Gal	4 drums/48x48" pallet (122x122 cm)
5000 Gray 10 minutes (5 gal/19L)	1026218-05	1026245-05	Gal	36 pails/36x48" pallet (91x122 cm)
5000 Gray 10 minutes (50 gal/190L)	1026218-50	1026245-50	Gal	4 drums/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
5000 KIT (0.4CF / 11L) Kit	1026218-KIT	Kit	35 kits/36x48" pallet (91x122 cm)
5000 (600 ml) Cartridge	1026250-600	12/Case	64 cases/36x48" pallet (91x122 cm)
5000 (1500 ml) Cartridge	1026250-1500	4/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging




Cartridge



Pail



Drum



Tote

Information



[Technical
Data Sheet
FastPatch® 5000](#)



[Sales Sheet
FastPatch® 5000](#)



[FastPatch® 5000
Field Report](#)



[Declaration
of Performance](#)



[5000](#)

5400

FastPatch® 5400 is a tough concrete repair system with integrated aggregate. FastPatch® 5400 is specifically designed to meet 5,000 psi requirements while maintaining excellent flexibility and resilience. This product is installed as a kit with FastPatch® Aggregate to create a tough and cost effective composite repair.

Product	PART #	UOM	Pallet QTY
5400 Kit	1026239-KIT	Kit	35 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



[Technical
Data Sheet
5400](#)

Information

[Return to Table of Contents>>>](#)

Crack Filler

FastPatch® Crack Filler is a rapid setting, two-part polyurethane designed for large and small cracks in damaged concrete. FastPatch® Crack Filler's viscosity was designed to be low enough to fill, penetrate, and extend the life of concrete without being too runny and wasteful. FastPatch® Crack Filler's combination of fast set, high strength and low viscosity make it ideal for areas which must be brought to level.

Product	PART #	UOM	Pallet QTY
Crack Filler (600 ml) Cartridge	1026116-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Cartridge

Information



[Technical
Data Sheet
Crack Filler](#)



[Crack Filler](#)

CJF-CC

FastPatch® CJF-CC is a two-component, self-leveling, 100% solids hybrid polyurea, control-joint filler designed to protect joints in industrial concrete floors subject to hard wheels and heavy loads. FastPatch® CJF-CC provides excellent resistance to spalling, abrasion, chemical attack, and corrosion. It is also ideal for filling random cracks.

Product	RESIN #	ISO #	UOM	Pallet QTY
CJF-CC (5 gal/19L)	1026306-05	1026305-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
CJF-CC (600 ml) Cartridge	1026306-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



Cartridge



[Technical
Data Sheet
CJF-CC](#)

[Return to Table of Contents>>>](#)

Alligator Crack Repair (ACR) Kit ☼

FastPatch® Alligator Crack Repair is a cold-applied, 2-part, self-leveling polymeric material designed to repair asphalt cracks and potholes, with 0 VOCs, no solvents and no VOCs. FastPatch® Alligator Crack Repair is tough enough to handle traffic and resilient enough to handle cracks/repairs with some residual movement.

Product	PART #	UOM	Pallet QTY
Alligator Crack Repair (ACR) Kit (4 gal/15L)	1026285-KIT	Kit	32 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical
Data Sheet
Alligator Crack
Repair](#)



[Declaration
of Performance](#)



[Alligator Crack
Repair](#)


Asphalt Crack Repair (ACR) Meter ☼

FastPatch® Asphalt Crack Repair (ACR) Meter Grade is a cold-applied, 2-part, self-leveling polymeric crack repair material designed to repair asphalt and concrete. FastPatch ACR is designed for high production from PRE-TEC metering equipment with 0 VOCs, no solvents, is jet fuel resistant, and is tough enough to handle traffic with a flush fill and resilient enough to handle cracks with some residual movement.

Product	RESIN #	ISO #	UOM	Pallet QTY
ACR Meter Grade (250 gal/946L)	1026024-90	1026025-90	Gal	1 tote/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Tote

Information



[Technical
Data Sheet
ACR Meter Grade](#)



[Declaration
of Performance](#)



[Sales Sheet
Airports](#)



[ACR Meter Grade
Demo](#)

[Return to Table of Contents>>>](#)

DPR CE

FastPatch® DPR is an easy-to-apply durable pavement reinstatement material. FastPatch® DPR is supplied in bulk containers for rapid deployment or kits with everything included for ease of use. FastPatch® DPR is a polymer binder based on a blend of recycled and renewable materials designed to be installed in clean, dry and sound areas. FastPatch® DPR has good adhesion to concrete and asphalt and can be used to permanently repair a variety of pavement damage.

Product	PART #	UOM	Pallet QTY
DPR Combo Kit (0.2CF /6L)	1026213-KIT	Kit	48 kits/ 36x48" pallet (91x122 cm)
DPR Combo Kit (0.4CF /11L)	1026212-KIT	Kit	36 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical
Data Sheet
DPR](#)



[Sales Sheet
DPR-Kit](#)



[Declaration
of Performance](#)



[DPR](#)

[Return to Table of Contents>>>](#)

EJC+

FastPatch® EJC+ is a flexible, two component, polyurethane based expansion joint sealant. FastPatch® EJC+ is an ASTM C920 Type M, grade P, class 50 sealant for use in expansion joints with movement at least 50% and where longevity and chemical resistance is a high priority.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC+ Black (50 gal/190L)	1026262-50	1026026-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC+ Gray (50 gal/190L)	1026165	1026026-50	Gal	4 drums/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
EJC+ Black (600 ml) Cartridge	1026262-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC+ Gray (600 ml) Cartridge	1026165-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Drum



Cartridge

Information



[Technical
Data Sheet
EJC+](#)



[Sales Sheet
EJC](#)



[EJC+](#)

EJC-25

FastPatch® EJC-25 is a rapid setting, two-component, polyurethane-based sealant with excellent adhesion and durability. FastPatch® EJC-25 has demonstrated superior long-term performance for joint sealant applications with small to moderate movement requirements.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-25 (5 gal)	1026351-05	1026350-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-25 (600 ml) Cartridge	1026351-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



Cartridge

Information



[Technical
Data Sheet
EJC-25](#)



[Sales Sheet
EJC](#)

[Return to Table of Contents>>>](#)

EJC-50

FastPatch® EJC-50 is a flexible, two component, rapid set, polyurethane based expansion joint sealant. FastPatch® EJC-50 is an ASTM C920 Type M, grade P, class 50 with superior long term performance for joint sealant applications with moderate movement requirements.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-50 Black (5 gal/19L)	1026349-05	1026348-05	Gal	36 pails/36x48" pallet (91x122 cm)
EJC-50 Black (50 gal/190L)	1026349-50	1026348-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC-50 Black (250 gal/190L)	1026218-05	1026348-90	Gal	1 tote/48x48" pallet (122x122 cm)
EJC-50 Gray (5 gal/19L)	1026347-05	1026348-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-50 Black (600 ml) Cartridge	1026349-600	12/Case	64 cartridges/36x48" pallet (91x122 cm)
EJC-50 Gray (600 ml) Cartridge	1026347-600	12/Case	64 cartridges/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging




Cartridge



Pail



Drum



Tote

Information



[Technical
Data Sheet EJC-50](#)



[Sales Sheet
EJC](#)

EJC-100

FastPatch® EJC-100 is a flexible, two-component, rapid-setting, polyurethane-based joint sealant. FastPatch® EJC-100 is an ASTM C920 Type M, Grade P, Class 100/50 expansion joint compound with excellent elongation and cure.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-100 Black (5 gal/19L)	1026346-05	1026353-05	Gal	36 pails/36x48" pallet (91x122 cm)
EJC-100 Black (50 gal/190L)	1026346-50	1026353-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC-100 Black (250 gal/946L)	1026346-90	1026353-90	Gal	1 tote/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-100 Black (600 ml) Cartridge	1026346-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC-100 Gray (600 ml) Cartridge	1026352-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging




Cartridge



Pail



Drum



Tote

Information



[Technical
Data Sheet
EJC-100](#)



[Sales Sheet
EJC](#)

[Return to Table of Contents>>>](#)

RBA-CC

FastPatch® RBA-CC is a 0 VOC adhesive specially designed for all kinds of traffic reflectors and buttons. FastPatch® RBA-CC provides a much safer, faster, and more effective method to adhere traffic markers than current hot melt technology. FastPatch® RBA-CC is suitable for both horizontal and vertical applications and meets or exceeds the performance criteria of flexible bituminous adhesives.

Product	RESIN #	ISO #	UOM	Pallet QTY
RBA-CC (5 gal/19L)	1026268-05	1026133-05	Gal	36 pails/36x48" pallet (91x122 cm)
RBA-CC (50 gal/190L)	1026268-50	1026133-50	Gal	4 drums/48x48" pallet (122x122 cm)
RBA-CC (250 gal/946L)	1026268-90	1026133-90	Gal	1 tote/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
RBA-CC (450 ml) Cartridge	1026268-450	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging




Cartridge



Pail



Drum



Tote

Information



[Technical
Data Sheet
RBA](#)



[Sales Sheet
RBA](#)



[RBA Comparison](#)

[Return to Table of Contents>>>](#)

DPR-FAA €€

FastPatch® DPR-FAA Kit is a tough concrete repair system with patented integrated aggregate. The DPR-FAA Kit is specifically designed to meet FAA Airfield Pavement Remediation requirements (Section 101-3.4 of P-101) with a compression strength of >4,000 psi at two hours of ambient cure and >5,000 psi at 6 hours. FastPatch® DPR-FAA kit is flexible and tough, easy to mix and apply, and reduces FOD risk because no aggregate is added in the field.

Product	PART #	UOM	Pallet QTY
DPR-FAA Kit (0.5CF /11L)	1026154-KIT	Kit	36 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical Data Sheet DPR-FAA](#)



[Declaration of Performance](#)



[Sales Sheet Airports](#)



[DPR-FAA Emergency Repair](#)



[DPR-FAA Demo](#)

[Return to Table of Contents>>>](#)


Alligator Crack Repair (ACR) Meter

FastPatch® ACR Meter Grade is a cold-applied, 2-part, self-leveling polymeric crack repair material designed to repair asphalt and concrete. FastPatch ACR is designed for high production from PRE-TEC metering equipment with 0 VOCs, no solvents, is jet fuel resistant, and is tough enough to handle traffic with a flush fill and resilient enough to handle cracks with some residual movement.

Product	RESIN #	ISO #	UOM	Pallet QTY
ACR Meter Grade (250 gal/946L)	1026024-90	102625-90	Gal	1 tote/48x48" pallet (122x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Tote

Information



[Technical
ACR Meter Grade](#)



[Declaration
of Performance](#)



[Sales Sheet
Airports](#)



[ACR Meter Grade
Demo](#)

EJC+

FastPatch® EJC+ is a flexible, two component, polyurethane based expansion joint sealant. FastPatch® EJC+ is an ASTM C920 Type M, grade P, class 50 sealant for use in expansion joints with movement at least 50% and where longevity and chemical resistance is a high priority.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC+ Black (50 gal/190L)	1026262-50	1026026-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC+ Gray (50 gal/190L)	1026165	1026026-50	Gal	4 drums/48x48" pallet (122x122 cm)


Product	PART #	UOM	Pallet QTY
EJC+ Black (600 ml) Cartridge	1026262-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC+ Gray (600 ml) Cartridge	1026165-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Information



EJC-25

FastPatch® EJC-25 is a rapid setting, two-component, polyurethane-based sealant with excellent adhesion and durability. FastPatch® EJC-25 has demonstrated superior long-term performance for joint sealant applications with small to moderate movement requirements.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-25 (5 gal/19L)	1026351-05	1026350-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-25 (600 ml) Cartridge	1026351-600	Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Information



[Return to Table of Contents>>>](#)

EJC-50


FastPatch® EJC-50 is a flexible, two component, rapid set, polyurethane based expansion joint sealant. FastPatch® EJC-50 is an ASTM C920 Type M, grade P, class 50 with superior long term performance for joint sealant applications with moderate movement requirements.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-50 Black (5 gal/19L)	1026349-05	1026348-05	Gal	36 pails/36x48" pallet (91x122 cm)
EJC-50 Black (50 gal/190L)	1026349-50	1026348-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC-50 Black (250 gal/946L)	1026218-05	1026348-90	Gal	1 tote/48x48" pallet (122x122 cm)
EJC-50 Gray (5 gal/19L)	1026347-05	1026348-05	Gal	36 pails/36x48" pallet (91x122 cm)


Product	PART #	UOM	Pallet QTY
EJC-50 Black (600 ml) Cartridge	1026349-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC-50 Gray (600 ml) Cartridge	1026347-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Information



EJC-100

FastPatch® EJC-100 is a flexible, two-component, rapid-setting, polyurethane-based joint sealant. FastPatch® EJC-100 is an ASTM C920 Type M, Grade P, Class 100/50 expansion joint compound with excellent elongation and cure.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-100 Black (5 gal/19L)	1026346-05	1026353-05	Gal	36 pails/36x48" pallet (91x122 cm)
EJC-100 Black (50 gal/190L)	1026346-50	1026353-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC-100 Black (250 gal/946L)	1026346-90	1026353-90	Gal	1 tote/48x48" pallet (122x122 cm)


Product	PART #	UOM	Pallet QTY
EJC-100 Black (600 ml) Cartridge	1026346-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC-100 Gray (600 ml) Cartridge	1026352-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Information



[Return to Table of Contents>>>](#)

Alligator Crack Repair (ACR) Kit €€

FastPatch® Alligator Crack Repair is a cold-applied, 2-part, self-leveling polymeric material designed to repair asphalt cracks and potholes, with 0 VOCs, no solvents and no VOCs. FastPatch® Alligator Crack Repair is tough enough to handle traffic and resilient enough to handle cracks/repairs with some residual movement.

Product	PART #	UOM	Pallet QTY
Alligator Crack Repair (ACR) Kit (4 gal/15L)	1026285-KIT	Kit	32 pails/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical Data Sheet Alligator Crack Repair](#)



[Declaration of Performance](#)



[Alligator Crack Repair](#)


Alligator Crack Repair (ACR) Meter €€

FastPatch® ACR Meter Grade is a cold-applied, 2-part, self-leveling polymeric crack repair material designed to repair asphalt and concrete. FastPatch ACR is designed for high production from PRE-TEC metering equipment with 0 VOCs, no solvents, is jet fuel resistant, and is tough enough to handle traffic with a flush fill and resilient enough to handle cracks with some residual movement.

Product	RESIN #	ISO #	UOM	Pallet QTY
ACR Meter Grade (250 gal/946L)	1026024-90	102625-90	Gal	1 tote/48x48" pallet (122x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Tote

Information



[Technical ACR Meter Grade](#)



[Declaration of Performance](#)



[Sales Sheet Airports](#)



[ACR Meter Grade Demo](#)

[Return to Table of Contents>>>](#)

DPR

FastPatch® DPR is an easy-to-apply durable pavement reinstatement material. FastPatch® DPR is supplied in bulk containers for rapid deployment or kits with everything included for ease of use. FastPatch® DPR is a polymer binder based on a blend of recycled and renewable materials designed to be installed in clean, dry and sound areas. FastPatch® DPR has good adhesion to concrete and asphalt and can be used to permanently repair a variety of pavement damage.

Product	PART #	UOM	Pallet QTY
DPR Combo Kit (0.2CF /6L)	1026213-KIT	Kit	48 kit/36x48" pallet (91x122 cm)
DPR Combo Kit (0.4CF /11L)	1026212-KIT	Gal	36 kit/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical Data Sheet DPR](#)



[Sales Sheet DPR-Kit](#)



[Declaration of Performance](#)



[DPR](#)

[Return to Table of Contents>>>](#)

EJC+

FastPatch® EJC+ is a flexible, two component, polyurethane based expansion joint sealant. FastPatch® EJC+ is an ASTM C920 Type M, grade P, class 50 sealant for use in expansion joints with movement at least 50% and where longevity and chemical resistance is a high priority.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC+ Black (50 gal/190L)	1026262-50	1026026-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC+ Gray (50 gal/190L)	1026165	1026026-50	Gal	4 drums/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
EJC+ Black (600 ml) Cartridge	1026262-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC+ Gray (600 ml) Cartridge	1026165-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Drum



Cartridge

Information



[Technical
Data Sheet
EJC+](#)



[Sales Sheet
EJC](#)



[EJC+](#)

EJC-25

FastPatch® EJC-25 is a rapid setting, two-component, polyurethane-based sealant with excellent adhesion and durability. FastPatch® EJC-25 has demonstrated superior long-term performance for joint sealant applications with small to moderate movement requirements.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-25 (5 gal/19L)	1026351-05	1026350-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-25 (600 ml) Cartridge	1026351-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



Cartridge

Information



[Technical
Data Sheet
EJC-25](#)



[Sales Sheet
EJC](#)

[Return to Table of Contents>>>](#)

EJC-50

FastPatch® EJC-50 is a flexible, two component, rapid set, polyurethane based expansion joint sealant. FastPatch® EJC-50 is an ASTM C920 Type M, grade P, class 50 with superior long term performance for joint sealant applications with moderate movement requirements.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-50 Black (5 gal/19L)	1026349-05	1026348-05	Gal	36 pail/36x48" pallet (91x122 cm)
EJC-50 Black (50 gal/190L)	1026349-50	1026348-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC-50 Black (250/946L gal)	1026218-05	1026348-90	Gal	1 tote/48x48" pallet (122x122 cm)
EJC-50 Gray (5 gal/19L)	1026347-05	1026348-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-50 Black (600 ml) Cartridge	1026349-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC-50 Gray (600 ml) Cartridge	1026347-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging




Cartridge



Pail



Drum



Tote

Information



[Technical
Data Sheet EJC-50](#)



[Sales Sheet
EJC](#)

EJC-100

FastPatch® EJC-100 is a flexible, two-component, rapid-setting, polyurethane-based joint sealant. FastPatch® EJC-100 is an ASTM C920 Type M, Grade P, Class 100/50 expansion joint compound with excellent elongation and cure.

Product	RESIN #	ISO #	UOM	Pallet QTY
EJC-50 Black (5 gal/19L)	1026346-05	1026353-05	Gal	36 pails/36x48" pallet (91x122 cm)
EJC-50 Black (50 gal/190L)	1026346-50	1026353-50	Gal	4 drums/48x48" pallet (122x122 cm)
EJC-50 Black (250 gal/946L)	1026346-90	1026353-90	Gal	1 tote/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
EJC-50 Black (600 ml) Cartridge	1026346-600	12/Case	64 cases/36x48" pallet (91x122 cm)
EJC-50 Gray (600 ml) Cartridge	1026352-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging




Cartridge



Pail



Drum



Tote

Information



[Technical
Data Sheet
EJC-100](#)



[Sales Sheet
EJC](#)

[Return to Table of Contents>>>](#)

5000 €€


FastPatch® 5000 is a flexible and tough concrete repair composite with excellent physical properties. FastPatch® 5000 is a 100% solids, 2-component urethane designed to perform in installations where 5,000 psi concrete is specified. FastPatch® 5000 is tough, resilient, impervious to freeze-thaw, and has excellent adhesion. Areas repaired with FastPatch® 5000 can be re-opened to traffic in one hour or less.

Product	RESIN #	ISO #	UOM	Pallet QTY
5000 Gray 3 minutes (250 gal/946L)	1026219-90	1026245-90	Gal	1 tote/48x48" pallet (122x122 cm)
5000 Gray 5 minutes (50 gal/190L)	1026248-50	1026245-50	Gal	4 drums/48x48" pallet (122x122 cm)
5000 Gray 10 minutes (5 gal/19L)	1026218-05	1026245-05	Gal	36 pails/36x48" pallet (91x122 cm)
5000 Gray 10 minutes (50 gal/190L)	1026218-50	1026245-50	Gal	4 drums/48x48" pallet (122x122 cm)

Product	PART #	UOM	Pallet QTY
5000 Kit (0.4CF / 11L) KIT	1026218-KIT	Kit	36 kits/36x48" pallet (91x122 cm)
5000 (600 ml) Cartridge	1026250-600	12/Case	64 cases/36x48" pallet (91x122 cm)
5000 (1500 ml) Cartridge	1026250-1500	5/Case	72 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Information



5400

FastPatch® 5400 is a tough concrete repair system with integrated aggregate. FastPatch® 5400 is specifically designed to meet 5,000 psi requirements while maintaining excellent flexibility and resilience. This product is installed as a kit with FastPatch® Aggregate to create a tough and cost effective composite repair.

Product	PART #	UOM	Pallet QTY
5400 Kit (4 gal/15L)	1026239-KIT	Kit	35 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Information



[Return to Table of Contents>>>](#)


TrenchFill 8600

TrenchFill 8600 is a durable reinstatement material supplied in high volume containers for rapid and efficient deployment in the most demanding environments. TrenchFill 8600 is cold applied with no solvent, odor, or VOC. WVCO's PRE-TEC® division has designed equipment specifically for the continuous application of TrenchFill 8600 capable of reinstatement as ≥ 4 gallons per minute. Topping sand (black or natural) can be immediately applied to provide a textured or color matched surface.

Product	RESIN #	ISO #	UOM	Pallet QTY
TrenchFill 8600 (250 gal/946L)	1026238-90	1026786-90	Gal	1 tote/ 48x48" pallet (122x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Tote

Information



[Technical
Data Sheet
TrenchFill 8600](#)



[Sales Sheet
Telecom](#)



[TrenchFill 8600](#)


8400

FastPatch® 8400 is a durable reinstatement material supplied in 250-gallon totes for rapid and efficient deployment in the most demanding environments. FastPatch 8400 is a patented blend of integrated aggregate and bio-based material that is cold applied with no solvent, odor, or VOC. WVCO's PRE-TEC division has designed equipment specifically for the continuous application of FastPatch 8400 capable of reinstatement as productive as 5 gallons per minute (1,155 in3) at 70°F. Topping sand (black or natural) can be immediately applied to provide a textured or color-matched surface.

Product	RESIN #	ISO #	UOM	Pallet QTY
8400 (250 gal/946L)	1026290-90	1026299-90	Gal	1 tote/48x48" pallet (122x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Tote



[Technical
Data Sheet
8400](#)



[8400](#)

Information

[Return to Table of Contents>>>](#)

TrenchSeal Splatter Grade

FastPatch® TrenchSeal Splatter Grade is a polymer system designed for rapid deployment and instant return to service. Splatter Grade provides an aesthetically pleasing and durable sealing/overbanding top layer for capping microtrenches. Application is fast and economical with no added heat or pressure.

Product	RESIN #	ISO #	UOM	Pallet QTY
TrenchSeal Splatter Grade (5 gal/19L)	1026251-05	1026252-05	Gal	36 pails/36x48" pallet (91x122 cm)
TrenchSeal Splatter Grade (50 gal/190L)	1026251-50	1026252-50	Gal	4 drums/48x48" pallet (122x122 cm)
TrenchSeal Splatter Grade (250 gal/946L)	1026251-05	1026252-90	Gal	1 tote/48x48" pallet (122x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



Drum



Tote

Information



[Technical Data Sheet TrenchSeal Splatter Grade](#)



[Sales Sheet Telecom](#)



[TrenchSeal Splatter](#)

DPR CE

FastPatch® DPR is an easy-to-apply durable pavement reinstatement material. FastPatch® DPR is supplied in bulk containers for rapid deployment or kits with everything included for ease of use. FastPatch® DPR is a polymer binder based on a blend of recycled and renewable materials designed to be installed in clean, dry and sound areas. FastPatch® DPR has good adhesion to concrete and asphalt and can be used to permanently repair a variety of pavement damage.

Product	PART #	UOM	Pallet QTY
DPR Combo Kit (0.2CF /6L)	1026213-KIT	Kit	48 kits/36x48" pallet (91x122 cm)
DPR Combo Kit (0.4CF /11L)	1026212-KIT	Gal	36 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



[Technical Data Sheet DPR](#)



[Sales Sheet Telecom](#)



[Declaration of Performance](#)



[DPR](#)

Information

[Return to Table of Contents>>>](#)

Primer LV

POLYQuik® Primer LV is a 2-component, low-viscosity, penetrating urethane primer. POLYQuik® Primer LV is designed for easy application at a wide range of temperatures and fast recoat times. POLYQuik® Primer LV can be applied by airless sprayer or brush/roller.

Product	RESIN #	ISO #	UOM	Pallet QTY
Primer LV (1 gal/4L)	1026919-01	1026920-01	Gal	2-1 gal per box; 72 box/36x48" pallet (91x122 cm)
Primer LV (5 gal/19L)	1026919-05	1026090-05	Gal	36 pails/36x48" pallet (91x122 cm)

Product	PART #	UOM	Pallet QTY
Primer LV (600 ml) Cartridge	1026919-600	12/Case	64 cases/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail



Cartridge

Information



[Technical
Data Sheet
POLYQuik Primer LV](#)

Primer LPS

POLYQuik® Primer LPS is a two component, 100% solids, high build, rapid setting primer for elastomeric coatings. POLYQuik® Primer LPS is designed for applications via high pressure, plural component proportioner. POLYQuik® Primer LPS creates a strong bond between the substrate and topcoat, as well as reducing the number of pinholes on porous substrates.

Product	RESIN #	ISO #	UOM	Pallet QTY
Primer LPS (5 gal/19L)	1020735-05	1020736-05	Gal	36 pails/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical
Data Sheet
POLYQuik Primer LPS](#)

[Return to Table of Contents>>>](#)

Primer LPR

POLYQuik® Primer LPR is a two component, 100% solids, high build, rapid setting primer designed to be roll applied for elastomeric coatings. POLYQuik® Primer LPR creates a strong bond between the substrate and topcoat, as well as reducing the number of pinholes on porous substrates. POLYQuik® Primer LPR reduces system permeability for POLYQuik® topcoats to meet Class A Vapor Barrier requirements.

Product	PART #	UOM	Pallet QTY
Primer LPR Kit (4 gal/15L)	1027030-KIT	Kit	32 kits/36x48" pallet (91x122 cm)

Contact sales person for estimated shipping weights

Product Packaging



Pail

Information



[Technical
Data Sheet
POLYQuik Primer LPR](#)

[Return to Table of Contents>>>](#)